


Ring Size Guide

Your personal fitting companion / Measuring methods

Before you begin / print at 100%

Print on US Letter or A4 at 100% / Actual size. Turn OFF Fit to page and Shrink oversized pages. Verify the line below with a physical ruler. If it is not exactly 50 mm, stop and correct your print settings.




50 mm calibration line — measure between end marks

01 / String or paper

Wrap non-stretch string or narrow paper around the intended finger. Keep it snug, not tight. Mark where the ends meet, flatten it, then measure to your mark in millimeters. Repeat three times and compare the circumference with the table on page 3.

02 / Printable ring-sizer strip

Cut around the strip below. Wrap it around your finger, with the 0 mm edge against the numbered scale. Read where the 0 edge overlaps; this is your circumference. Use a mirror or a helper. Do not add an allowance or pull the paper tight.



START / 0 mm

Cut outside the border. Measure from the 0 mm line, not from any unmarked paper margin. This is a circumference strip, not a US-size scale. Use page 3 to convert your reading.

The circle method

True-scale inner diameters / US sizes 4–13


Before you begin / print at 100%

Print on US Letter or A4 at 100% / Actual size. Turn OFF Fit to page and Shrink oversized pages. Verify the line below with a physical ruler. If it is not exactly 50 mm, stop and correct your print settings.




50 mm calibration line — measure between end marks


Place a round ring that fits the same finger and hand over these circles. Match the circle to the inner edge of the ring, not the outside. Never measure from a screen. Have oval or bent rings measured professionally.




US 4 / 14.9 mm




US 4.5 / 15.3 mm




US 5 / 15.7 mm




US 5.5 / 16.1 mm




US 6 / 16.5 mm




US 6.5 / 16.9 mm




US 7 / 17.3 mm




US 7.5 / 17.7 mm




US 8 / 18.1 mm




US 8.5 / 18.5 mm




US 9 / 19.0 mm




US 9.5 / 19.4 mm




US 10 / 19.8 mm




US 10.5 / 20.2 mm




US 11 / 20.6 mm




US 11.5 / 20.9 mm



US 12 / 21.4 mm



US 12.5 / 21.7 mm



US 13 / 22.2 mm

Between circles? Confirm with a jeweler rather than guessing. These tools are approximate fit aids; finger shape, temperature and band width matter.

International sizes

Approximate conversions / Confirm the individual piece

US	UK	EU ≈	JP ≈	Diameter mm	Circumf. mm
4	H	47	7	14.9	46.8
4.5	I	48	8	15.3	48
5	J½	49	9	15.7	49.3
5.5	K½	51	10	16.1	50.6
6	L½	52	11–12	16.5	51.9
6.5	M½	53	13	16.9	53.1
7	N½	54	14	17.3	54.4
7.5	O½	56	14–15	17.7	55.7
8	P½	57	16–17	18.1	57
8.5	Q½	58	17–18	18.5	58.3
9	R½	60	18–19	19	59.5
9.5	S½	61	19–20	19.4	60.8
10	T½	62	20–22	19.8	62.1
10.5	U½	63	23	20.2	63.4
11	V½	65	23–24	20.6	64.6
11.5	W	66	25–26	20.9	65.9
12	X½	67	25–27	21.4	67.2
12.5	Y	68	28	21.7	68.5
13	Z½	70	27–29	22.2	69.7

Conversions are approximate: EU is rounded inner circumference in millimeters; UK and JP equivalents vary between charts and manufacturers. Confirm the sizing standard with client care. Professional fitting is best for valuable or non-resizable rings.

The finer details

A comfortable fit, chosen thoughtfully

Time it right

Measure at the end of the day with comfortably warm hands. Repeat on two or three days; avoid exercise, extreme heat or cold just before measuring.

Wide bands

Bands around 6 mm or wider can feel tighter. Consider half a US size up, but confirm the specific band with a jeweler.

Knuckles

Measure your finger base and knuckle. The ring should pass the knuckle with gentle resistance and sit comfortably at the base. A large difference calls for a professional fitting.

A surprise proposal

Borrow a ring worn on the intended finger and hand, or ask a trusted friend. A ring from another finger is not a reliable match. Confirm that the setting can be resized before purchase.

Need a personal recommendation? Contact client care before ordering. Resizing options depend on the metal, setting and specific piece.